




Programming to Paper Circuits Connections

How to use Crazy Circuits components in a Paper Circuits environment.

Written By: Joshua



INTRODUCTION

Crazy Circuits was designed to work with LEGO components, but our large programmable boards also work quite well in a Paper Circuits project with standard electronics components. This guide will show you some tips and tricks for making those connections.



TOOLS:


- [Scissors](#) (1)
- [Paper](#) (1)



PARTS:


- [Crazy Circuits Bit Board](#) (1)
- [Crazy Circuits Robotics Board](#) (1)
- [Crazy Circuits Invention Board](#) (1)
- [Jumbo 10mm Diffused LED](#) (1)
- [Maker Tape 1/8th inch](#) (1)

Step 1 — Tape on Top 1/4th inch Method





- i** We recommend using 1/4th inch Maker Tape. If possible, only use every other hole on the board in order to give yourself some extra space.
- Run tape over the top of a pin hole on a Crazy Circuits Board. Take care to **ONLY** touch the copper ring around the pin you wish to use, not any other.
- Press firmly to make a solid connection.
- ★** This is a short term solution. The tape will lose its stickiness over time and come off. Great for a few days or weeks, but not a permanent solution.

Step 2 — Tape on Top 1/8th inch Method





- Run 1/8th inch Maker Tape so that it runs over the TOP of a Crazy Circuits Board.
- Make sure it's touching the copper colored ring around the outside of the pin that you wish to use.
- Don't allow the the tape to touch a different copper ring.
- ⓘ This is a short term solution. The tape will lose its stickiness over time and come off. Great for a few days or weeks, but not a permanent solution.

Step 3 — Alligator Clip Method



- When making a project, run tape to the edge of your project paper or cardboard.
- Wrap it around the end of the paper or cardboard so tape is on both sides.
- You can also run tape OFF the end of the paper or cardboard and fold it back onto itself. This gives some flexibility.
- Attach one end of an alligator clip to your Crazy Circuits board and the other to the end of the tape. This will make a solid connection that won't wear down or tear your paper.


Step 4 — Wrap Around Method



- Use 1/8th Inch Maker Tape to connect to an output pin on a Crazy Circuits Board.
- Go through the hole and wrap the tape around to itself.
- Press firmly on all parts of the tape that touch the board to create a solid connection.

⚠ Removing the tape can be really annoying using this method.

Step 5 — Standard Component Connections



- From here on out just run your conductive tape to your other components.
 - Lay the Maker Tape over the top of the components connections/ legs. Press down firmly for a solid connection.
 - Or put the component connections/ legs on top of the tape and then cover them with a second, smaller, piece of tape.
- ⓘ Press down to make a firm connection. If something isn't lighting up it's probably for this reason.