Temperature and Humidity Sensor Holder

A 3D Printed LEGO Compatible mount for a Temperature and Humidity Sensor.

Written By: Pete Prodoehl

This document was generated on 2022-04-03 04:34:44 AM (MST).

© 2022 | learn.browndoggadgets.com/ | Page 1 of 4

INTRODUCTION

A 3D Printed LEGO Compatible mount for a Temperature and Humidity Sensor.

⚒ TOOLS:

- 3D Printer (1)

This document was generated on 2022-04-03 04:34:44 AM (MST).

## Step 1 — Download and Print

- You can download the file and print it on your own 3D Printer.

- Find it in our GitHub repository: https://github.com/BrownDogGadgets/3D-Pr...

- This file will work with our Temperature and Humidity Sensor.

This document was generated on 2022-04-03 04:34:44 AM (MST).

© 2022

learn.browndoggadgets.com/

Page 3 of 4

Step 2 — Tips & Tricks

- The Temperature and Humidity Sensor slides into the holder and is held in place by friction. If the fit is a bit too tight you can file or sand the inside holding arms of the print.

- ⚠ Every 3D printer is a little different! If your part doesn't fit on a baseplate here are a few things to try.

  - Part too tight? Try sanding it or cutting away some material with a knife.

  - Part too loose? Add two LEGO bricks on opposite sides of the part.

  - You can also try printing it at slightly more or less than 100% scale.

This document was generated on 2022-04-03 04:34:44 AM (MST).

© 2022   learn.browndoggadgets.com/   Page 4 of 4